

| General          |   |
|------------------|---|
| Shape            | Square  |
| Seating Capacity | 6   |
| Shell Material   | Ultralife™ / Granitex™ / Geloy®                     |
| Dimensions       | 92" x 92" x 35 1/2" H / (234cm X 234cm x 90cm H)    |
| Corner Radii     | 16" (41 cm)   |
| Water Capacity   | 350 Gallons (1324 Liters)                           |
| Dry Weight       | 882 lbs (400 kg)                                    |
| Shipping Weight  | Domestic 882 lbs (400 kg) - Export 932 lbs (423 kg) |
| Full Weight      | 3800 lbs (1723 kg)                                  |
| Skirt Material   | Domestic Synthetic - Export Wood or Synthetic       |
| Poly Floor       | Yes   |



| Water System                          |                |
|---------------------------------------|----------------|
| Water Treatment System                | Ultra Pure™    |
| Plumbing Systems                      | 3              |
| Filters/Coverage                      | 2 / 75 sq. ft. |
| Gate Valves                           | 4              |
| VCR Jet® - Air Adjustable/Directional | 2              |
| VCR Jet® - Rotator                    | 6              |
| VCR Jet® - Dual Rotator               | 4              |
| VCR Jet® - Multi Port Spinner         | 5              |
| VCR Jet® - Mini Rotator               | 13             |
| VCR Jet® - Mini Directional           | 2              |
| VCR Jet® - Euro Directional           | 0              |
| VCR Jet® - Euro Rotator               | 0              |
| VCR Jet® - Mini Directional in NFJ    | 4              |
| Typhoon Jet                           | 1              |
| Ozone Jet                             | 1              |
| Heater Return Jet                     | 1              |
| Pump Returns                          | 4              |
| Diverter Valves                       | 1              |
| Floor Drains                          | 1              |
| Skimmer                               | 8" Weir        |


| Special Features                           |                           |
|--|---------------------------|
| Dynamic Massage Sequencer w/ control panel | No                        |
| NeckFlex® Jet Pillows                      | 1                         |
| Headrest Pillows                           | 2                         |
| Stereo system                              | Optional Poly-Planar      |
| Water Feature                              | Optional with LFX package |
| Water Feature Volume control               | Optional with LFX package |
| Cup Holders                                | 3                         |
| Tactile Therapy                            | Foot & hand               |

| Pump Information                  | Domestic (60Hz)             | Export (50Hz)               |
|-----------------------------------|-----------------------------|-----------------------------|
| Motor Size – Peak (Continuous) HP | 4.0 (2.5) Hp                | 3.6 (2.0) HP                |
| Jet Pumps # of Pumps/Speed        | Two / Dual                  | Two / single                |
| Circulation pump                  | 1                           | 1                           |
| Fountain pump                     | 1 with optional LFX package | 1 with optional LFX package |


| Electrical System            | Domestic (60Hz)                         | Export (50Hz)                           |
|------------------------------|---|---|
| Voltage                      | 240                                     | 240                                     |
| Amperage                     | 50/40/30                                | 1X16 / 2X16 / 1X32                      |
| Heater                       | FastFlo 2.7,4.0,5.5 kW                  | FastFlo 2.9 kW                          |
| Thermostat                   | Electronic                              | Electronic                              |
| Light                        | Multi color LED or Optional LFX package | Multi color LED or Optional LFX Package |
| Control System               | MSPA-MP-D17-NON LFX, MSPA-MP-D18 LFX    | MSPA-MP-CE-D17-N/LFX, -D18 LFX          |
| Upper Control (programmable) | M-Drive with Scrolling Message Center   | M-Drive with Scrolling Message Center   |
| Auxiliary Upper Control      | Yes                                     | Yes                                     |

Note: 1. Subject to change without notice.

# Californian Architectural Specification



Top View of Spa




Front View of Spa

- Note: 1. Subject to change without notice.  
 2. Engineering specs may differ slightly from brochure.  
 3. For E-Z lifter installation allow 18" clearances on the backside of the spa.  
 4. Alternative cabinets may add significant weight. Ask your dealer for exact details  
 5. This is the approximate location for drilling a hole if you must bring the power line in through the bottom of the spa.  
 Be careful not to puncture a plumbing line in  
 Dimensions shown as inches and [centimeters] - XX" [ cm]

**Caution:**

Due to manufacturing tolerances there could be some minor differences between the actual spa and the drawing above.  
 If site planning is critical to such tolerances, be sure to measure your actual spa.


# Californian Plumbing Configuration



Note: Subject to change without notice.

Legend:  
 DV1 A =Diverter Valve 1 (A Position Clockwise).  
 DV1 B =Diverter Valve 1 (B Position Counter Clockwise).  
 DV1 C =Diverter Valve 1 (Neutral Position).

# Californian Jet Insert Designation



Note: Subject to change without notice.