





General		
Shape	Square	
Seating Capacity	6	
Shell Material	Granitex™ / Acrylic	
Dimensions	83" x 83" x 36" H / (211cm x 211cm x 91cm H)	
Corner Radii	9" (23cm)	
Water Capacity	275 Gallons (1040 Liters)	
Dry Weight	688 lbs (312 kg)	
Shipping Weight	688 lbs (335 kg)	
Full Weight	2978 lbs (1350 kg)	
Skirt Material	Synthetic	
Poly Floor	Yes	
Water System		
Water Treatment System	n/a	
Plumbing Systems	3	
Filters/Coverage	1 / 75 sq. ft.	
Gate Valves	0	
Power Storm - Massage	1	
Power Storm - Roto	2	
Power Storm - Twirl	4	
Mini Storm - Directional	4	
Mini Storm - Rifled	2	
Mini Storm - Roto	3	
Mini Storm - Storm II	0	
Cluster Storm - Directional	10	
Cluster Storm - Rotator	4	
Cluster Storm - Rifled	10	
VCR Jet® Mini Directional in NFJ	2	
Typhoon Jet	0	
Ozone Jet	1	
Heater Return Jet	0	
Pump Returns	4	
Diverter Valve	1	
Floor Drain	No	
Skimmer	8" Weir	
Special Feature		
Dynamic Massage Sequencer w/ Control Panel	n/a	
NeckFlex® Jet Pillows	1	
Headrest Pillow	2	
Stereo System	Optional	
Water Feature	Yes	
Water Feature Volume Control	Yes	
Cup Holder	9	
Tactile Therapy	n/a	
Pump Information		
	Domestic (60Hz)	Export (50Hz)
Motor Size – Peak (Continuous) HP	3.6 (2.0) HP	3.6 (2.0) HP
Jet Pumps # of Pumps/Speed	One Dual & One Single	One Dual & One Single
Circulation Pump	No	No
Fountain Pump	No	No
Electrical System		
	Domestic (60Hz)	Export (50Hz)
Voltage	240	240
Amperage	30/40	1x16 / 2x16 / 1x32
Heater	4.0 KW	2.0 KW
Thermostat	Electronic	Electronic
Light	Multi Color LED	Multi Color LED
Control System	SSPA-1-D13	SSPA-1-D13-CE
Upper Control	Programmable Digital	Programmable Digital
Auxiliary Upper Control	No	No

Note: 1. Subject to change without notice.


Wayfarer Architectural Specification



- Note:
1. Subject to change without notice.
 2. Engineering specs may differ slightly from brochure.
 3. For E-Z lifter installation allow 18" (45.7cm) clearance on the backside of the spa.
 4. Alternative cabinets may add significant weight. Ask your dealer for exact details.

Caution:
Due to manufacturing tolerances there could be some minor differences between the actual spa and the drawing above. If site planning is critical to such tolerances, be sure to measure your actual spa.



Wayfarer Plumbing Configuration



Note: Subject to change without notice.
1. Stereo optional.

DV1 A = Diverter Valve 1 (A Position Clockwise).
 DV1 B = Diverter Valve 1 (B Position Counter Clockwise).
 DV1 C = Diverter Valve 1 (C Neutral Position).

Wayfarer Jet Insert Designations



Note: 1. Subject to change without notice.
 2. Stereo Optional.
 3. Reference Doc-1478.