



<b>General</b>		
Shape	Rectangular	
Seating Capacity	3	
Shell Material	Granitex™ / Acrylic / Ultralife™	
Dimensions	83" x 66" x 30" H / (211cm x 167cm x 76cm H)	
Corner Radii	9" (23cm)	
Water Capacity	190 Gallons (720 Liters)	
Dry Weight	460 lbs (210 kg)	
Shipping Weight	460 lbs (231 kg)	
Full Weight	2042 lbs (930 kg)	
Skirt Material	Synthetic	
Poly Floor	Yes	
<b>Water System</b>		
Water Treatment System	n/a	
Plumbing Systems	2	
Filters/Coverage	1 / 75 sq. ft.	
Gate Valves	0	
Power Storm - Twirl	3	
Power Storm - Twister Jet	2	
Poly Storm - Rifled	1	
Mini Storm - Rifled	2	
Cluster Storm - Directional	6	
Cluster Storm - Rifled	2	
Ozone Jet	1	
Heater Return Jet	0	
Pump Returns	2	
Diverter Valve	0	
Floor Drain	No	
Skimmer	8" Weir	
<b>Special Feature</b>		
Dynamic Massage Sequencer w/ Control Panel	n/a	
NeckFlex® Jet Pillows	1	
Headrest Pillow	0	
Stereo System	Optional	
Water Feature	n/a	
Water Feature Volume Control	n/a	
Cup Holder	2	
Tactile Therapy	Pedestal	
<b>Pump Information</b>		
	<b>Domestic (60Hz)</b>	<b>Export (50Hz)</b>
Motor Size – Peak (Continuous) HP	3.0 (1.5) HP	3.6 (2.0) HP
Jet Pumps # of Pumps/Speed	One Dual	One Dual
Circulation Pump	No	No
Fountain Pump	No	No
<b>Electrical System</b>		
	<b>Domestic (60Hz)</b>	<b>Export (50Hz)</b>
Voltage	120/240	240
Amperage	15/30/40	1x16 / 2x16 / 1x32
Heater	4.0 KW	2.0 KW
Thermostat	Electronic	Electronic
Light	1 LED	1 LED
Control System	SSPA-1-D13	SSPA-1-D13-CE
Upper Control	Programmable Digital	Programmable Digital
Auxiliary Upper Control	No	No



Note: Subject to change without notice.

# Architectural Specification



1. Engineering specs may differ slightly from brochure.
  2. For E-Z lifter installation allow 18" (45.7 cm) clearances on the backside of the spa.
  3. Alternative cabinets may add significant weight. Ask your dealer for exact details.
  4. Stereo Optional.
- Note: Subject to change without notice.

**Caution:**  
 Due to manufacturing tolerances there could be some minor differences between the actual spa and the drawing above. If site planning is critical to such tolerances, be sure to measure your actual spa.

# Serenade Plumbing Configuration


Pump 1 -Drain &  
Skimmer



**1. Pump 1 all jets**

Note: Subject to change without notice.

# Serenade Jet Insert Designations



Note: Subject to change without notice.

1. Reference Doc-2484 Rev A.
2. Stereo Optional.